

SPEECH MANAGEMENT FOR CHILDREN WITH CLEFT LIP AND PALATE: STATE-OF-THE-ART

WEBINAR 2 REFERENCES

Ms. Yoshiko Takei & Dr. Debbie Sell

- Allori, A. C., Kelley, T., Meara, J. G., Albert, A., Bonanthaya, K., Chapman, K., . . . Wong, K. W. (2017). A standard set of outcome measures for the comprehensive appraisal of cleft care. *The Cleft Palate-Craniofacial Journal*, 54(5), 540-554. doi:10.1597/15-292 [doi]
- Brunnegard, K., Hagberg, E., Havstam, C., Okhiria, A., & Klinto, K. (2020). Reliability of speech variables and speech-related quality indicators in the swedish cleft lip and palate registry. *The Cleft Palate-Craniofacial Journal*, 57(6), 715-722. doi:10.1177/1055665619894497 [doi]
- Cavalli, L. (2011) Voice assessment and intervention. In *Cleft Palate Speech*. Eds. Sarah Howard and Anette Lohmander p181-196. pub Wiley-Blackwell.
- CAPS-A. (2020). Retrieved from <https://www.caps-a.com>
- CLEFT-Q. (2018). Retrieved from <http://qportfolio.org/cleft-q/>
- Cleft Palate International Speech Issues (CLISPI). Retrieved from <https://clispi.org>
- Cronin, A., McLeod, S., & Verdon, S. (2020a). Applying the ICF-CY to specialist speech-language pathologists' practice with toddlers with cleft palate speech. *The Cleft Palate-Craniofacial Journal*, 57(6), 715-722. doi:10.1177/1055665619894497 [doi]
- Gerratt, B.R., Kreiman, J., Antonanzas-Barroso, N., Berke, G.S., 1993, Comparing internal and external standards in voice quality judgments. *J of Speech and Hearing Research*, 36, 14-20.
- Harding Bell, A. and Howard, S. (2011) Phonological approaches to speech difficulties associated with cleft palate. In *Cleft Palate Speech*. Eds. Sara Howard and Anette Lohmander p181-196. pub Wiley-Blackwell.
- Harding, A. and Grunwell, P. (1996) Characteristics of cleft palate speech. *European Journal of Disorders of Communication*, 31, 331-357.
- Havstam, C. & Lohmander, A. (2011). Communicative participation. In S. Howard and A. Lohmander (Eds.), *Cleft Palate Speech: Assessment and Intervention* (pp.305-315). West Sussex, UK: John Wiley & Sons, Ltd.
- Henningsson, G., Kuehn, D.P., Sell, D., Sweeney, T., Trost-Cardamone, J.E., Whitehill, T.L., & Speech Parameters Group. (2008). Universal parameters for reporting speech outcomes in individuals with cleft palate. *The Cleft Palate-Craniofacial Journal*, 45(4), 371-381.
- Howard, S.J. and Heselwood, B.C. (2002) Learning and teaching phonetic transcription for clinical purposes. *Clinical Linguistics and Phonetics*, 16, 371- 401.
- International Phonetic Association (IPA). Retrieved from www.internationalphoneticassociation.org

- John, A., Sell, D., Sweeney, T., Harding-Bell, A., & Williams, A. (2006). The cleft audit protocol for speech-augmented: A validated and reliable measure for auditing cleft speech. *The Cleft Palate-Craniofacial Journal*, 43(3), 272-288. doi:04-141R [pii]
- Johnson, N.C., Sandy, J.R. (1999). Tooth position and speech: is there a relationship? *The Angle Orthodontist*, 69(4): 306-10. doi: 10.1043/0003-3219(1999)069<0306:TPASIT>2.3.CO;2
- Klassen, A.F., Riff, K.W.W., Longmire, N.M., Albert, A., Allen, G.C., Aydin, M.A., . . . Forrest, C. R. (2018). Psychometric findings and normative values for the CLEFT-Q based on 2434 children and young adult patients with cleft lip and/or palate from 12 countries. *CMAJ: Canadian Medical Association Journal = Journal De L'Association Medicale Canadienne*, 190(15), E455-E462. doi:10.1503/cmaj.170289 [doi]
- Kummer, A.W. (2020). Cleft palate and craniofacial conditions: A comprehensive guide to clinical management (4th ed.). Burlington: Jones & Bartlett Learning.
- Lohmander, A., Hagberg, E., Persson, C., Willadsen, E., Lundeborg, I., Davies, J., . . . Nyberg, J. (2017). Validity of auditory perceptual assessment of velopharyngeal function and dysfunction - the VPC-sum and the VPC-rate. *Clinical Linguistics & Phonetics*, 31(7-9), 589-597. doi:10.1080/02699206.2017.1302510 [doi]
- Lohmander, A., Lundeborg, I., & Persson, C. (2017). SVANTE - the swedish articulation and nasality test - normative data and a minimum standard set for cross-linguistic comparison. *Clinical Linguistics & Phonetics*, 31(2), 137-154. doi:10.1080/02699206.2016.1205666 [doi]
- McLeod, S. (2020). Intelligibility in Context Scale: cross linguisticuse, validity and reliability. *Speech, Language and Hearing*, 23(1), 9-16. doi:10.1080/2050571X.2020.1718837
- Miccio, A.W. (2009). First things first: Stimulability therapy for children with small phonetic repertoires. C. Bowen, Children's speech sound disorders. Oxford: Wiley-Blackwell, 96-101.
- Neumann, S., & Romonath, R. (2012). Application of the international classification of functioning, disability, and health-children and youth version (ICF-CY) to cleft lip and palate. *The Cleft Palate-Craniofacial Journal*, 49(3), 325-346. doi:10.1597/10-145 [doi]
- Oddson, B., Thomas-Stonell, N., Robertson, B., & Rosenbaum, P. (2019). Validity of a streamlined version of the focus on the outcomes of communication under six: Process and outcome. *Child: Care, Health and Development*, 45(4), 600-605. doi:10.1111/cch.12669 [doi]
- Peterson-Falzone, S., Trost-Cardamone, J., Karnell, M., Hardin-Jones, M. (2016). The clinician's guide to treating cleft palate speech (2nd ed.). Mosby.
- Rieger, J., Wolfaardt, J., Seikaly, H., Jha, N. (2002). Speech outcomes in patients rehabilitated with maxillary obturator prostheses after maxillectomy: a prospective study. *The International Journal of Prosthodontics*, 15(2): 139-44.

- Sell D., and Grunwell P. (2001) Speech Assessment and Therapy. Watson, A.C.H., Sell, D., Grunwell, P. (Eds), Management of Cleft Lip and Palate. London: Whurr Publishers.
- Sell, D., Harding, A., & Grunwell, P. (1994). A screening assessment of cleft palate speech (Great Ormond Street Speech Assessment). International Journal of Language & Communication Disorders, 29(1), 1-15.
- Sell, D. Harding, A., Grunwell, P. (1999). Revised GOS.SP.ASS (98): Speech assessment for children with cleft palate and/or velopharyngeal dysfunction. International Journal of Language & Communication Disorders, 34, 7-33.
- Sell, D., John, A., Harding-Bell, A., Sweeney, T., Hegarty, F., & Freeman, J. (2009). Cleft audit protocol for speech (CAPS-A): A comprehensive training package for speech analysis. International Journal of Language & Communication Disorders, 44(4), 529-548.
doi:10.1080/13682820802196815 [doi]
- Sell, D., Mars, M., Worrell, E. (2006). Process and outcome study of multidisciplinary prosthetic treatment for velopharyngeal dysfunction. International Journal of Language & Communication Disorders, 41(5): 495-511.
- Shelton, R.L., Blank, J.L. (1984). Oronasal fistulas, intraoral air pressure, and nasal air flow during speech. Cleft Palate Journal, 21(2): 91-9.
- Sitzman, T.J., Allori, A.C., & Thorburn, G. Measuring outcomes in Cleft Lip and Palate treatment. Clinics in Plastic Surgery, 41: 311-319.
- Skirko, J.R., Santillana, R.M., Roth, C.T., Dunbar, C., & Tollefson, T.T. (2018). Spanish linguistic validation of the velopharyngeal insufficiency effects on life outcomes: VELO-spanish. Plastic and Reconstructive Surgery. Global Open, 6(11), e1986.
doi:10.1097/GOX.0000000000001986 [doi]
- Skirko, J.R., Weaver, E.M., Perkins, J.A., Kinter, S., Eblen, L., & Sie, K.C. (2013). Validity and responsiveness of VELO: A velopharyngeal insufficiency quality of life measure. Otolaryngology--Head and Neck Surgery, 149(2), 304-311.
doi:10.1177/0194599813486081 [doi]
- Skirko, J.R., Weaver, E.M., Perkins, J., Kinter, S., & Sie, K.C. (2012). Modification and evaluation of a velopharyngeal insufficiency quality-of-life instrument. Archives of Otolaryngology--Head & Neck Surgery, 138(10), 929-935. doi:10.1001/2013.jamaoto.122 [doi]
- Solot, C.B., Sell, D., Mayne, A., Baylis, A.L., Persson, C., Jackson, O., & McDonald-McGinn, D.M. (2019). Speech-language disorders in 22q11.2 deletion syndrome: Best practices for diagnosis and management. American Journal of Speech-Language Pathology, 28(3), 984-999
- Speech Participation and Activity Assessment of Children (SPAA-C). (2021). Retrieved from

<http://www.csu.edu.au/research/multilingual-speech/spaa-c>

- Stock, N.M., & Feragen, K.B. (2016). Psychological adjustment to cleft lip and/or palate: A narrative review of the literature. *Psychology & Health*, 31(7), 777-813.
doi:10.1080/08870446.2016.1143944
- Thomas-Stonell, N.L., Oddson, B., Robertson, B., & Rosenbaum, P.L. (2010). Development of the FOCUS (focus on the outcomes of communication under six), a communication outcome measure for preschool children. *Developmental Medicine and Child Neurology*, 52(1), 47-53. doi:10.1111/j.1469-8749.2009.03410.x [doi]
- Van Lierde, K.M., Monstrey, S., Bonte, K., Van Cauwenberge, P., Vinck, B. (2004). The long-term speech outcome in Flemish young adults after two different types of palatoplasty. *International Journal of Pediatric Otorhinolaryngology*. 68(7): 865-75. doi: 10.1016/j.ijporl.2004.01.020
- Wong Riff, K.W., Tsangaris, E., Goodacre, T., Forrest, C.R., Pusic, A.L., Cano, S.J., & Klassen, A.F. (2017). International multiphase mixed methods study protocol to develop a cross-cultural patient-reported outcome instrument for children and young adults with cleft lip and/or palate (CLEFT-Q). *BMJ Open*, 7(1), e015467-015467. doi:10.1136/bmjopen-2016-015467 [doi]
- World Health Organization (2001). Towards a common language for functioning, disability and health: ICF The International Classification of Functioning, Disability and Health. Retrieved from <http://www.who.int/classifications/icf>
- World Health Organization (2007). International Classification of Functioning, Disability and Health – Children and YouthVersion. Geneva: World Health Organization, 13.